

INDEX MAPS.

T.10N, R.4E. 2nd Mer.

	6		6		5		5		5		4	
8	6	30	5	24	4	20	3	16	2	12	1	4
	29		29		24		20		16		12	
8	7	29	8	23	9	19	10	15	11	11	12	4
	28		28		23		19		15		11	
7	18	28	17	23	16	19	15	15	14	10	13	3
	27		27		22		18		14		10	
7	19	27	20	22	21	18	22	14	23	10	24	3
	26		26		22		17		13		9	
7	30	26	29	21	28	17	27	13	26	9	25	2
	25		25		21		17		13		9	
6	31	25	32	21	33	16	34	12	35	8	36	2
	2		2		1		1		1		1	

T.11N, R.4E. 2nd Mer.

	36		36		36		35		35		35	
38	6	60	5	54	4	50	3	46	2	42	1	34
	60		59		54		50		46		42	
38	7	59	8	54	9	50	10	46	11	42	12	34
	59		58		53		49		45		41	
38	18	58	17	53	16	49	15	45	14	41	13	34
	58		57		53		49		44		40	
37	19	57	20	52	21	48	22	44	23	40	24	33
	57		56		52		48		44		40	
37	30	56	29	51	28	47	27	43	26	39	25	33
	56		55		51		47		43		39	
37	31	55	32	51	33	47	34	43	35	39	36	33
	32		32		32		31		31		31	

(P The figures on the lines refer to the page.

1

Township N. 10 North, Range N. 4 East 2^d Mer. Indiana

South Boundary

- West On S. boundary of Sec. 36, T10 N. R4 E.
24.13 a brook 14 lks. wide Course S.E.
40.00 Let the g. Sec. post, from which
a Sugar 12 in. dia. beam S51 N 20 lks. dist. of
a Hickory 14 " " " N60 E 20 " "
80.00 Let a post Cor. to Sec. 35 & 36, T10 N. R4 E, from which
a Beech 7 in. dia. beam S79 N 24 lks. dist. of
a Do 8 " " " S89 E 35 " "
Over broken land, timber Beech, Oak, Hickory &c
-

- West On S. boundary of Sec. 35, T10 N. R4 E
40.00 Let the g. Sec. post, from which
a Beech 12 in. dia. beam N75 E 29 lks. dist. of
a Do 7 " " " N46 N 25 " "
80.00 Let a post Cor. to Sec. 34 & 35, T10 N. R4 E, from which
a Beech 20 in. dia. beam N53 E 24 lks. dist. of
a Poplar 40 " " " N82 N 37 " "
Over broken land, timber Oak, Beech &c.
-

- West On S. boundary of Sec. 34, T10 N. R4 E.
40.00 Let the g. Sec. post, from which,
a Sugar 12 in. dia. beam S79 E 6 lks. dist. of
a Beech 6 " " " N28 N 14 " "
80.00 Let a post Cor. to Sec. 33 & 34, T10 N. R4 E, from which
a Hogwood 6 in. dia. beam S73 E 11 lks. dist. of
an Elm 12 " " " N46 N 9 " "
Over broken land, timber Oak, Beech &c.
-

- West On S. boundary of Sec. 33, T10 N. R4 E.
7.00 a creek 20 lks. wide Course S.W.
40.00 Let the g. Sec. post, from which
a W. Oak 24 in. dia. beam S50 E 38 lks. dist. of
a Beech 14 " " " N53 N 22 " "
80.00 Let a post Cor. to Sec. 32 & 33, T10 N. R4 E, from which
a Beech 13 in. dia. beam S52 E 13 lks. dist. of

T.M.N. 124 E. 2. Mer. Indiana

a Maple 8 in. dia. beam N 26 W 21 lks. dist. of
Over very broken land, timber Oak, Beech &c.

Nest On S. boundary of Sec. 32, T.M.N. 124 E.
40.00 Let the q. Sec. post, from which

a Hickory 12 in. dia. beam N 49 E 4 lks. dist. of
a W. Oak 6 " " " S 34 W 10 " "

64.37 a Creek 50 lks. wide Course N.W.

80.00 Let a post Cor. to Sec. 31 of 32, T.M.N. 124 E. from which
a W. Oak 24 in. dia. beam S 69 E 6 lks. dist. of
a Dogwood 6 " " " S 77 W 16 " "
Over very broken land, timber Oak, Hickory &c.

Nest On S. boundary of Sec. 31, T.M.N. 124 E.

40.00 Let the q. Sec. post, from which
an Ironwood 7 in. dia. beam S 88 E 15 lks. dist. of
a Beech 12 " " " N 83 W 9 " "

73.13 Intersected the Range line, between Ranges
3 & 4 East, Towns 9 & 10 North

Over very broken land, timber Oak, Hickory &c.

East Boundary var. 6.30. E.

North On E. boundary of Sec. 36, T.M.N. 124 E.

1.50 a Beech 12 in. dia. in the line

37.87 a Brook 6 lks. wide Course East

40.00 Let the q. Sec. post, from which

a Beech 13 in. dia. beam N 21 W 17 lks. dist. of
a do 14 " " " S 63 E 24 " "

80.00 Let a post Cor. to Sec. 25 of 36, from which

a Beech 8 in. dia. beam S 53 E 23 lks. dist. of
a do 20 " " " N 45 W 20 " "

Over rolling land, timber Oak, Beech &c.

North On E. boundary of Sec. 25, T.M.N. 124 E.

6.50 a Hickory 24 in. dia. in the line

30.77 a Brook 4 lks. wide Course E.

Township 4 E. 2^d Mer. Indiana

- 40.00 Let the g^t. Sec. post (in a brook 15 lks. wide Course S. E.) from which
 a Lassafras 10 in. dia. bran S 30^W 35 lks. dist. of
 a Beech 8 " " " S 40^E 44 " "
 55.50 a Brook 8 lks. wide Course East
 73.56 a Poplar 30 in. dia. in the line
 80.00 Let a post Cor. to Sec. 24 & 25, T¹⁰ N. 1² E 4 E, from
 which a Beech 12 in. dia. bran S 12^W 40 lks. dist. of
 a B. Oak 30 " " " S 70^E " "
 (Description Omitted.)

North On E. boundary of Sec. 24, T¹⁰ N. 1² E 4 E.

- 18.74 a Sugar 12 in. dia.
 22.00 at Brook 10 lks. wide Course East
 40.00 Let the g^t. Sec. post. from which
 an Ash 4 in. dia. bran S 16^W 16 lks. dist. of
 a Do 7 " " " S 69^W 18 " "
 59.95 a B. Oak 24 " " in the line
 70.62 a Branch 2 lks. wide Course E.
 80.00 Let a post Cor. to Sec. 13 & 24, T¹⁰ N. 1² E 4 E, from which
 a Hickory 13 in. dia. bran S 30^E 9 lks. dist. of
 a Do 8 " " " S 22^W 9 " "
 Over rolling land, timber Beech, Oak, Hickory &c.

North On E. boundary of Sec. 13, T¹⁰ N. 1² E 4 E.

- 20.50 a Brook 3 lks. wide Course N. E.
 40.00 Let the g^t. Sec. post, from which
 a W. Oak 14 in. dia. bran S 20^W 17 lks. dist. of
 a Beech 12 " " " S 50^W 17 " "
 45.74 a Hickory 14 " " in the line
 75.59 a Brook 4 lks. wide Course East
 80.00 Let a post Cor. to Sec. 12 & 13, from which
 a Hogwood 5 in. dia. bran S 50^E 7 lks. dist. of
 a Beech 6 " " " S 17^W 11 " "
 Over broken land, timber Oak, Beech, Hickory &c.

T.M. N. 4 E. 2. ⁿ Mer. Indiana

North On E. boundary of Sec. 12, T.M. N. 4 E.
 15.25 a Beech 20 in. dia. in the line
 19.25 a Creek 50 lbs. wide Course East
 21.18 Same 50 lbs. " " East
 40.00 Let the gr. Sec. post, from which
 a Beech 7 in. dia. bray N 24 W 10 lbs. dist. of
 a Do 6 " " " N 58 E 13 " "
 50.18 an Ash 30 " "
 80.00 Let a post Cor. to Sec. 1, 12, T.M. N. 4 E, from which
 a Beech 8 in. dia. bray N 5 W 16 lbs. dist. of
 a Gum 20 " " " South 33 " "
 Over good farming land, timber Oak, Beech
 Ash &c. underg^d Spruce.

North On E. boundary of Sec. 1, T.M. N. 4 E
 15.12 a P. Walnut 36 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Beech 20 in. dia. bray S 2 E 16 lbs. dist. of
 a Do 20 " " " N 2 W 23 " "
 82.50 Let a post Cor. to Township N. 10 S. 11 North
 Range N. 4 E 5 East, from which
 a Hickory 30 in. dia. bray N 30 W 24 lbs. dist. of
 a Beech 21 " " " S 48 E 26 " "
 Over rich land, timber Poplar, Beech, Walnut
 Sugar &c. underg^d Spruce. June 18th 1819

North Boundary. var. 7. 45' E
 West On the S. boundary of Sec. 36, T.M. N. 4 E.
 13.99 a Hickory 20 in. dia. in the line
 40.00 Let the gr. Sec. post, from which
 a Beech 14 in. dia. bray N 24 E 7 lbs. dist. of
 an Oak 21 " " " N 14 W 21 " "
 68.96 a Poplar 30 " "
 80.00 Let a post Cor. to Sec. 35 & 36, T.M. N. 4 E, from which
 a Beech 20 in. dia. bray S 47 E 10 lbs. dist. of
 a Do 8 " " " N 26 W 42 " "

T. 10 N. R. 4 E. 2^d. Mer. Indiana

Level land good for farming, timber Beech, Sugar, Ash &c, undug^d. Spice &c.

Nest On S. boundary of Sec. 35, T. 10 N. R. 4 E.
24.00 a Beech 20 in. dia.

38.00 a Creek 40 lks. wide Course South

40.00 Let the g. Sec. post, from which
a Walnut 20 in. dia. bran S 35° W 18 lks. dist. of
a Beech 12 " " " N 30° W 26 " "

55.00 a Beech 20 " "

80.00 Let a post Cor. to Sec. 34 & 35, T. 10 N. R. 4 E. from which
a Walnut 18 in. dia. bran N 28° E 24 lks. dist. of
a Do 16 " " " S 71° W 15 " "
Land timber &c. same as on the last mile

Nest On S. boundary of Sec. 34, T. 10 N. R. 4 E.

23.92 a Hickory 18 in. dia. in the line

40.00 Let the g. Sec. post, from which
a Beech 24 in. dia. bran S 19° W 19 lks. dist. of
a Do 6 " " " N 4° W 18 " "

40.50 a Branch 8 lks. wide Course S. W.

67.00 a Creek 30 lks. " " " N. W.

74.00 a Do 40 lks. " " " South

80.00 Let a post Cor. to Sec. 33 & 34, T. 10 N. R. 4 E. from which
a Beech 24 in. dia. bran N 40° E 24 lks. dist. of
a Do 8 " " " S 26° W 18 " "

Level rich land, timber Beech, Walnut, Poplar,
Sugar &c. undug^d. Spice, pawpaw &c.

Nest On S. boundary of Sec. 33, T. 10 N. R. 4 E.

5.10 an Elm 30 in. dia.

38.00 a Branch 4 lks. wide Course N. E.

40.00 Let the g. Sec. post, from which
a Beech 10 in. dia. bran N 47° W 10 lks. dist. of
a Do 6 " " " S 25° W 15 " "

55.00 a Branch 4 lks. wide Course North

T. 4 E. 2. Mer. Indiana

- 76.15 a Branch 12 lks. wide Course N. E.
 78.00 a Sugar 18 m. dist.
 80.00 Let a post Cor. to Sec. 32 & 33, T. 4 E. from which
 a Beech 18 m. dist. bearing N 51 E 23 lks. dist. of
 a Do 16 " " " N 49 E 12 " "
 Broken land 2. rate, timber, Beech, Sugar,
 Ash &c. underg^d. Spruce &c.

- Met On S. boundary of Sec. 32, T. 4 E.
 10.24 a Beech 24 m. dist.
 40.00 Let the q. Sec. post, from which
 a Beech 6 m. dist. bearing N 42 E 12 lks. dist. of
 a Do 12 " " " N 56 E 12 " "
 50.84 an Oak 30 " " in the line
 80.00 Let a post Cor. to Sec. 31 & 32, T. 4 E. from which
 a Beech 6 m. dist. bearing N 24 E 8 lks. dist. of
 a Do 12 " " " N 45 E 5 " "
 Land timber &c. same as on the last mile
 June 28th 1879

- Met On S. boundary of Sec. 31, T. 4 E.
 40.00 Let the q. Sec. post, from which
 a Beech 18 m. dist. bearing S 80 E 27 lks. dist. of
 a Do 10 " " " N 25 E 32 " "
 69.70 Intersected the Cor. of Town 10 of N. North
 Range 3/4 East - Let a post, from which
 a Beech 18 m. dist. bearing N 61 W 7 lks. dist. of
 a Gum 20 " " " N 38 E 14 " "
 Broken land, timber Beech, Ash, Sugar
 Poplar &c. underg^d. Spruce &c. good Soil.

- Met Boundary var. 6.45 E.
 North On E. boundary of Sec. 36, T. 4 E.
 4.50 a Creek 5 lks. wide Course S. W.
 8.68 a Sycamore 24 m. dist.
 40.00 Let the q. Sec. post, from which

T10 N. R4 E. 2. Mer. Indiana

- a Beech 12 in. diam. beam 15 W 13 lbs. dist. of
 a Do 6 " " " N 26 E 6 " "
 41.38 a W. Oak 48 " "
 80.00 Set a post Cor. to Sec. 25 & 26, T10 N. R3 E, from which
 a Beech 7 in. diam. beam N 35 E 5 lbs. dist. of
 a Dogw. 7 " " " N 24 E 10 " "
 Over broken land, timber Oak, Hickory &c.

- North On E. boundary of Sec. 25, T10 N. R3 E.
 20.00 a Creek 20 lbs. wide Course S. W.
 40.00 Set the q. Sec. post, from which
 a Hornbeam 12 in. diam. beam N 3 E 14 lbs. dist. of
 a Do 6 " " " N 67 W 12 " "
 54.80 a Brook 15 lbs. wide Course S. E.
 67.50 Same 15 " " " S. W.
 80.00 Set a post Cor. to Sec. 24 & 25, T10 N. R3 E, from which
 a P. Oak 18 in. diam. beam N 10 E 35 lbs. dist. of
 a Hickory 10 " " " N 58 W 16 " "
 Over broken land, timber Oak, Hickory &c.

- North On E. boundary of Sec. 24, T10 N. R3 E.
 28.86 a P. Elm 20 in. diam.
 40.00 Set the q. Sec. post, from which
 an Ironwood 10 in. diam. beam N 41 W 4 lbs. dist. of
 a Sugar 6 " " " N 15 W 15 " "
 68.50 a Beech 14 " "
 80.00 Set a post Cor. to Sec. 13 & 24, T10 N. R3 E, from which
 a Poplar 14 in. diam. beam N 40 E 4 lbs. dist. of
 a Do 10 " " " N 57 E 5 " "
 Over broken land, timber Oak, Hickory &c. undg. trees.

- North On E. boundary of Sec. 13, T10 N. R3 E.
 24.22 a Spanish Oak 36 in. diam.
 40.00 Set the q. Sec. post, from which
 a Poplar 40 in. diam. beam N 35 E 9 lbs. dist. of
 a Dogw. 6 " " " N 60 W 12 " "

T10 N. R4 E. 2^d. Mer. Indiana

40.52 a Beech 14 in. dia. in the line
 80.00 Set a post Cor. to Sec. 12 & 13, T10 N. R3 E. from which
 a Beech 8 in. dia. bears N 23 E 24 lks. dist. of
 a Do 10 " " " S 37 W 18 lks. "
 Over broken land, timber Oak &c. underg^d. briar

North On E. boundary of Sec. 12, T10 N. R3 E.
 40.00 Set the q^r. Sec. post, from which
 a Sugar 12 in. dia. bears N 57 W 18 lks. dist. of
 a Do 8 " " " S 83 E 24 " "
 57.09 a Beech 14 " "
 80.00 Set a post Cor. to Sec. 11 & 12, T10 N. R3 E. from which
 a Maple 14 in. dia. bears N 7 E 19 lks. dist. of
 a Do 10 " " " N 7 W 18 " "
 Over broken land, timber Oak, Beech &c.

North On E. boundary of Sec. 1, T10 N. R3 E.
 29.50 a Beech 14 in. dia. in the line
 40.00 Set the q^r. Sec. post, from which
 a Gum 30 in. dia. bears N 44 E 7 lks. dist. of
 a Do 14 " " " S 85 W 11 " "
 80.54 Set a post Cor. to Township, N. 10 & 11 North,
 Range N. 3 & 4 E. from which
 a Beech 18 in. dia. bears N 61 W 7 lks. dist. of
 a Gum 20 " " " N 38 E 11 " "
 Over broken land, timber Oak, Beech &c.
 underg^d. Briar &c. June 21st. 1819
 Surveyed by John M. McDonald, D. S.

Subdivision. var. 6. 04' E.

North Between Sec. 35 & 36, T10 N. R4 E.
 39.15 a Chestnut Oak tree 20 in. dia.
 40.00 Set the q^r. Sec. post, from which
 a Chest. Oak 24 in. dia. bears N 78 E 30 lks. dist. of
 a Dogwood 4 " " " S 36 W 15 " "
 60.13 a Beech tree 14 in. dia.

9

Mo N. R. 4 E. 2ⁿ Mer. Indiana

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
an Oak 24 in. dia. bran N 55 E 3/4 k. dist. of
a Beech 8 " " " S 77 W 1/7 " "
This mile hilly 3^d rate, timber Oak of
different sorts, undergth Ash, Sassafras &c

East On Rand^m. between Sec. 25 & 36, Mo N. R. 4 E.

40.00 Set temp^y. g. Sec. post,

80.00 Intersected the E. boundary at the post
This mile hilly 3^d rate land, timber Oak, beech
and Hickory, undergth Spruce &c

West Corrected between Sec. 25 & 36, Mo N. R. 4 E.

6.76 an Oak tree 40 in. dia.

40.00 Set g. Sec. post at average dist. from which
a Beech 9 in. dia. bran S 30 E 3/4 k. dist. of
a Poplar 20 " " " N 46 W 25 " "

80.00 to Section Corner.

North Between Sec. 25 & 26, Mo N. R. 4 E.

8.00 a W. Oak 20 in. dia.

40.00 Set the g. Sec. post, from which
an Oak 48 in. dia. bran N 45 E 5/8 k. dist. of
a Beech 24 " " " S 30 W 33 " "

43.75 a Stream 10 k. wide Course East

51.00 a Beech 20 in. dia.

80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
a Beech 10 in. dia. bran S 55 E 1/2 k. dist. of
an Ash 10 " " " N 11 W 7 " "
This mile broken 3^d rate, timber Beech,
Oak & Poplar &c, green briar under

East On Rand^m. between Sec. 24 & 25, Mo N. R. 4 E.

40.00 Set temp^y. g. Sec. post

80.25 Intersected the E. boundary 9 3/4 k. N. of post
This mile broken 3^d rate, timber Beech, Oak &c

Township R4E. T. Mer. Indiana
 Hickory &c. underg. Spruce &c.

West Connected between Sec. 24 & 25, T. 10 N. R. 4 E.
 13.50 a Hickory 15 m. dist.
 40.12 1/2 Set g. Sec. post at average dist. from which
 an Oak 48 m. dist. bear N 23 E 15 lks. dist. of
 a Beech 9 " " " S 72 W 22 " "
 50.32 a Beech 18 m. dist.
 80.25 to Sec. Corner.

North Between Sec. 23 & 24, T. 10 N. R. 4 E.
 8.90 a P. Oak 24 m. dist.
 14.00 a Brook 10 lks. wide Course E.
 40.00 Set the g. Sec. post, from which
 a _____ m. dist. bear N 83 W 8 lks. dist. of
 a Beech 14 " " " S 73 W 23 " "
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
 a Beech 16 m. dist. bear N 75 E 12 lks. dist. of
 a Do 9 " " " S 40 W 25 " "
 This mile very broken 3/4 rate land, timber
 Beech, Oak, Ash &c.

East On Can. R. betw. Sec. 13 & 24, T. 10 N. R. 4 E.
 40.00 Set temp. g. Sec. post
 80.50 Intersected the N & S. line 57 lks. S. of post
 This mile very hilly land 3/4 rate, timber Oak
 Beech, Hickory &c.

West Connected between Sec. 13 & 24, T. 10 N. R. 4 E.
 11.00 a Beech 20 m. dist.
 40.25 Set g. Sec. post at average dist. from which
 a Beech 16 m. dist. bear N 65 E 15 lks. dist. of
 a Do 14 " " " S 55 W 11 " "
 80.50 to Sec. Corner

North Between Sec. 13 & 14, T. 10 N. R. 4 E

S.W. 1/4 E. 2nd Mer, Indiana

- 22.50 a Beech 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 4 in. dia. bear S 86 E 25 lks. dist. of
 a Do 18 " " " N 85 W 10 " "
 62.75 a Brook 15 lks. wide Course E.
 63.30 a Walnut 36 in. dia.
 80.00 Set a post cor. to Sec. 11, 12, 13 & 14, from which
 a Sugar 6 in. dia. bear East 40 lks. dist. of
 a Hickory 12 " " " N 46 W 6 " "
 (Description Omitted)

- East On Land 8th betwⁿ Sec. 12 & 13, S.W. 1/4 E.
 13.00 a Brook 15 lks. wide Course S.
 40.00 Set temp. q. Sec. post
 81.17 Intersected the E. boundary 160 lks. N. of post
 This mile hilly 3rd rate land, timber Oak, ash,
 Beech &c.

- West Connected betwⁿ Sec. 12 & 13, S.W. 1/4 E.
 8.96 an Oak 24 in. dia.
 40.58 1/2 Set q. Sec. post at average dist. from which
 a Beech 24 in. dia. bear S 31 E 12 lks. dist. of
 a Do 4 " " " N 10 W 17 " "
 60.04 an Ash 24 " "
 81.17 to Sec. Corner.

- North Between Sec. 11 & 12, S.W. 1/4 E.
 4.50 a Brook 8 lks. wide Course E.
 29.10 a Beech 18 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bear N 30 W 36 lks. dist. of
 a Do 8 " " " S 66 E 10 " "
 50.00 a Brook 15 lks. wide Course S. E.
 64.85 a W. Oak 30 in. dia. bear
 80.00 Set a post cor. to Sec. 11, 12, 11 & 12, from which
 a Beech 9 in. dia. bear S 73 E 31 lks. dist. of

SW 1/4 Sec. 2. Mer. Indiana

a Red Oak 36 in. dia. beam N 79° W 25 lbs. dist. 6
This (mile 2nd rate, timber Ash, Oak & Beech
undergth Spruce &c.

East On Rand^m between Sec. 1 & 2, NW 1/4 Sec. 4 E
37.50 a Brook 15 lbs. wide Course S. E.

40.00 Set temp^l of Sec. post,

81.32 Intersected the E. boundary 48 lbs. S. of post
This (mile 2nd rate land, Ash, Oak & Beech &c.
undergth Spruce &c.

West Connected between Sec. 1 & 2, NW 1/4 Sec. 4 E.

5.00 a Hickory tree 8 in. dia.

40.66 Set of Sec. post at average dist. from which
a Hickory 5 in. dia. beam N 97° W 20 lbs. dist. 6
a Beech 4 " " " N 69° E 8 " "

47.85 on Oak 18 " "

81.32 to Section Corner.

North Between Sec. 1 & 2, NW 1/4 Sec. 4 E.

21.66 a Poplar 30 in. dia.

40.00 Set the of Sec. post. from which
a Beech 30 in. dia. beam N 47° E 12 lbs. dist. 6
a do 10 " " " N 83° W 26 " "

68.50 a Stream 25 lbs. wide Course East

70.00 a Hackberry tree 14 in. dia.

82.46 Intersected the N. boundary 65 lbs. E. of post
Set a post Cor. to Sec. 1 & 2, from which
a Beech 14 in. dia. beam N 33° E 25 lbs. dist. 6
an Oak 24 " " " N 30° E 16 " "
This (mile level) rich, timber Ash, Beech,
& Poplar &c. undergth Spruce

North Between Sec. 34 & 35, NW 1/4 Sec. 4 E.

23.40 a Beech tree 18 in. dia. in the line

40.00 Set the of Sec. post, from which

West-1/4 Sec. 27, T10N, R4E, Mer. Indiana

a Dogwood 4 in. diam. bear N 19 E 26 lks. dist. of
 a Hickory 30 " " " N 46 W 27 " "
 60.00 a Hickory tree 30 in. diam.
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a Hickory 15 in. diam. bear S 85 E 36 lks. dist. of
 an Oak 30 " " " S 77 W 20 " "
 This mile hilly, timber Oak, Hickory & Beech
 3rd rate, underg^{ts} Hickory, Sassafras &c.

East On Rand. between Sec. 26 & 35, T10N, R4E.
 40.00 Set temp. p. q. Sec. post
 79.31 Intersected the N & S. line 78 lks. N. of post
 This mile very hilly, timber Oak, Beech &c
 Hickory, underg^{ts} Dogwood, greenbrier &c.

West Corrected between Sec. 26 & 35, T10N, R4E.
 13.00 a P. Oak 30 in. diam.
 39.65 1/2 set q. Sec. post at average dist. from which
 a W. Oak 16 in. diam. bear N 69 W 19 lks. dist. of
 a Do 26 " " " N 28 E 25 " "
 42.93 a W. Oak 20 " "
 79.31 to Sec. Corner.

North Between Sec. 26 & 27, T10N, R4E
 5.00 a Poplar 24 in. diam.
 40.00 Set the q. Sec. post, from which
 a P. Oak 30 in. diam. bear S 65 E 8 lks. dist. of
 a Hickory 9 " " " N 58 W 39 " "
 80.00 Set a post Cor. to Sec. 22 & 23, 26 & 27, from which
 a Sassafras 4 in. diam. bear N 51 E 4 lks. dist. of
 any Oak 15. " " " N 26 W 40 " "
 This mile broken 3rd rate, timber Oak,
 Hickory &c. underg^{ts} Sassafras, Hickory &c.

East On Rand. between Sec. 23 & 26, T10N, R4E.
 40.00 Set temp. p. q. Sec. post

T.M.N. R4 E. 2^d Mer. Indiana

79.28 Intersected the N & S. line 57 lks. S. of post
This mile very broken land 3^d rate, timber:
Oak, Hickory &c. undergrowth. Hickory, Oak
and green briars &c.

Met Corners between Sec. 23 & 26, T.M.N. R4 E.

8.35 a Hickory 30 in. diam.

39.64 Set of Sec. post at average dist. from which
a W. Oak 15 in. diam. bearing S 64° 20 lks. dist. of
a P. Oak 30 " " " North 24 " "

North Between Sec. 22 & 23, T.M.N. R4 E.

35.00 a Hickory 36 in. diam.

40.00 Set the of Sec. post, from which
a Beech 8 in. diam. bearing S 54° 4 lks. dist. of
a Do 15 " " " N 13° E 21 " "

61.00 a Brook 12 lks. wide Course N. E.

69.00 an Oak 20 in. diam.

80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
a Beech 16 in. diam. bearing N 6° E 18 lks. dist. of
a Do 9 " " " S 20° E 16 " "
This mile 3^d rate, timber, Beech, Oak, Hickory &c.

East On R4 E. between Sec. 14 & 23, T.M.N. R4 E.

12.00 a Brook 10 lks. wide Course N. E.

15.00 a Do 8 lks. " " North

40.00 Set temp. of Sec. post

80.00 Intersected the N & S. line 82 lks. N. of post
This mile very hilly 3^d rate, timber Oak
& Hickory &c.

Met Corners between Sec. 14 & 23, T.M.N. R4 E.

40.00 Set of Sec. post at average dist. from which

a Beech 20 in. diam. bearing N 43° W 38 lks. dist. of

a Poplar 15 " " " S 5° E 8 " "

80.00 Station Corner.

S.W. 1/4 E. 2nd Mer. Indiana

North Between Sec. 14 & 15, S.W. 1/4 E.

18.50 a Stream 20 lks. wide Course E.

24.90 a Beech 30 in. dia. in the line

40.00 Set the q. Sec. post, from which
a Beech 30 in. dia. bear S 74 N 37 lks. dist. of
a do 18 " " " S 66 E 12 " "

46.50 an Oak 30 " " in the line

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
a Hickory 10 in. dia. bear S 81 E 36 lks. dist. of
a do 9 " " " N 88 W 23 " "

This mile 3rd rate some broken, timber Beech
Hickory & Oak, undergth Spruce & Greenbrier.

East On Range between Sec. 11 & 14, S.W. 1/4 E.

40.00 Set temp^y q. Sec. post

79.69 Intersected the N & S. line 137 lks. S. of post

This mile some broken 3rd rate, timber beech,
Oak, Ash &c. undergth Spruce &c.

West Corrected between Sec. 11 & 14, S.W. 1/4 E.

10.04 an Oak 14 in. dia. in the line

39.84 Set q. Sec. post at average dist. from which
a Beech 9 in. dia. bear S 50 E 9 lks. dist. of
a do 10 " " " N 39 W 19 " "

40.83 an Oak 48 " " in the line

79.69 to Section Corner

North Between Sec. 10 & 11, S.W. 1/4 E.

33.23 a Beech 18 in. dia. in the line

40.00 Set the q. Sec. post, from which
a Beech 14 in. dia. bear N 74 E 36 lks. dist. of
a Hickory 15 " " " N 62 W 16 " "

50.28 a Hickory 14 " " in the line

71.00 a Stream 50 lks. wide Course East

80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 12 in. dia. bear S 16 E 20 lks. dist. of

West R4 E. 2nd Mer. Indiana

an Oak 36 in. dia. bear N 32° W 17 lks. dist.
This mile level 2nd rate land, timber Oak,
Beech & Poplar, undergth Spruce &c.

East On Rand. betwⁿ Sec. 2 of 11, T10 N. R4 E.

15.00 a Stream 60 lks. wide Course East

19.50 a Do 60 lks. " " S. E.

40.00 Set temp^y q^r. Sec. post

80.50 Intersected the N & S. line 40 lks. N. of post
This mile level 2nd rate, timber Poplar, Oak,
Beech &c. undergth Spruce &c.

West Corrected between Sec. 2 of 11, T10 N. R4 E.

5.65 a Beech 20 in. dia. ~~bear~~ in the line

40.25 Set q^r. Sec. post at average dist. from which
an Elm 5 in. dia. bear N 8° W 15 lks. dist. of
a Do 10 " " " S 3° W 28 " "

80.50 to Sec. Corner.

North Between Sec. 2 of 3, T10 N. R4 E.

9.25 a Hickory 24 in. dia. in the line

40.00 Set the q^r. Sec. post. from which

a Plk. Ash 36 in. dia. bear S 49° W 11 lks. dist. of

a Beech 9 " " " S 69° E 37 " "

69.05 an Ash 24 in. dia. in the line

81.80 Intersected the N. boundary 198 lks. N. of post

Set a post Cor. to Sec. 2 of 3, from which

a Beech 10 in. dia. bear N 14° W 14 lks. dist. of

a W. Oak 24 " " " S 47° E 25 " "

This mile 2nd rate land, timber Beech, Oak,
Poplar &c. undergth Spruce &c.

North Between Sec. 33 of 34, T10 N. R4 E.

15.00 a W. Oak 36 in. dia. in the line

40.00 Set the q^r. Sec. post, from which

a Gum 30 in. dia. bear S 27° E 19 lks. dist. of

S.W. 1/4 E. 2nd Mer. Indiana

a Sugar 18 in. dia. bear S 6 E. 9 lks. dist.
 56.90 a W. Oak 12 " " in the line
 80.00 Set a post Cor. to Sec. 27, 28, 33 & 34 from
 which a Dogw. 5 in. dia. bear S 57 E 30 lks. dist.
 a Walnut 18 " " N 20 W 23 "
 Sand hilly 3rd rate timber Beech, Oak, Hickory
 &c. undergth Sassafras &c.

East On Rand. betwⁿ Sec. 27 & 34, S.W. 1/4 E

40.00 Set temp^y g^l Sec. post

79.58 Intersected the N. & S. line 30 lks. South of post
 Sand hilly 3rd rate timber Oak Poplar Beech undergth
 Dog. Sassafras &c.

West Corrected between Sec. 27 & 34, S 10 N. 24 E.

6.77 an Iron P. 4 in. dia. in the line

39.79 Set g^l Sec. post at average dist. from which
 a Beech 30 in. dia. bears — 38 E 29 lks. dist. &
 a do 24 " " " — W 8 " "

39.87 a Beech 24 in. dia. in the line
 79.58 — to Section Corner.

North Between Sec. 27 & 28, S 10 N. 24 E.

22.00 a Hickory 24 in. dia. in the line

40.00 Set the g^l Sec. post, from which
 a Beech 8 in. dia. bears S 77 W 36 lks. dist. &
 a do 20 " " " East 19 " "

56.22 a Beech 9 " " in the line

90.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a Hickory 12 in. dia. bears S 13 E 35 lks. dist. &
 a Beech 16 " " " N 32 W 4 " "
 Sand hilly 3rd rate timber Oak Beech Hickory
 undergrowth Sassafras Dog. &c.

East On Random between Sec. 22 & 27, S 10 N. 24 E.

40.00 Set temp^y g^l Sec. post.

90.00 Intersected the N. & S. line 65 lks. N. of post

Mt. R. & E. 2^d. Mer. Indiana

*Land hilly 3^d. rate timber Oak Poplar Gum Beech
 Sugar &c. undergrowth Sassafras Spice*

*West Corrected between Secs. 22 & 27, T10 N. R. 4 E.
 12.80 a Hickory 6 in. dia. in the line
 40.04 Set q. Sec. post at average dist. from which
 a Beech 4 in. dia. bears N 58 E 4 cks. dist. of
 a Sugar 8 " " " S 85 W 22 " "
 44.72 a Sugar 15 " "
 80.08 to Sec. Corner.*

*North Between Secs. 21 & 22, T10 N. R. 4 E.
 11.50 a W. Oak 30 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 30 in. dia. bears N 84 E 9 cks. dist.
 a Dog 4 " " " N 61 W 17 " "
 62.15 a Sugar 20 " " in the line
 75.50 a Stream 25 fms. wide Course S. E.
 77.00 a Do 20 " " " S. E.
 80.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which
 an Elm 8 in. dia. bears N 55 E 31 cks. dist. of
 a Sycamore 24 " " " S 80 W 14 " "
*Land hilly 3^d. rate, timber Oak, Beech, Poplar,
 undergrowth Spice &c.**

*East On Rand. betwⁿ Secs. 15 & 22, T10 N. R. 4 E.
 18.00 a Stream 25 fms. wide Course N. E.
 40.00 Set temp. q. Sec. post
 80.07 Intersected the N & S. line 63 fms. N. of post
*Land hilly 3^d. rate, timber Beech, Oak,
 Poplar, undergth. Spice, Dogwood &c.**

*West Corrected between Secs. 15 & 22, T10 N. R. 4 E.
 5.93 a Sugar 18 in. dia.
 40.03 1/2 Set q. Sec. post at average dist. from which
 a Beech 15 in. dia. bears N 79 W 7 cks. dist. of
 a Hickory 15 " " " S 79 W 35 " "*

T10 N. R4 E. T. Mer. Indiana

45.11 a Hickory 18 m. dist.
80.07 to Sec. Corner. Sept. 11th 1819

North Between Sec. 15 & 16, T10 N. R4 E.

18.80 a Sugar 12 m. dist.

40.00 Set the g. Sec. post, from which
a Beech 15 m. dist. bear N 27 E 9 lks. dist. of
a Ho 15 " " " S 82 W 17 " "

60.81 a Sassafras 15 " "

80.00 Set a post Cor. to 9, 10, 15 & 16, from which
a Sassafras 6 m. dist. bear S 53 E 19 lks. dist. of
an Ironwood 4 " " " N 81 W 10 " "
Land hilly 3rd rate, timber Oak, Beech, Hickory.
Fe. underg^g. Hickory. Hogwood &c

East On Land^m betwⁿ Sec. 10 & 15, T10 N. R4 E.

40.00 Set temp^y g. Sec. post

40.50 a stream 20 lks. wide Course S. E.

80.57 Intersected the N of S. line 8 lks. South of post.
Land hilly 3rd rate, timber Oak, Beech, Hickory
underg^g. Spruce, Hogw^o? &c.

West Corrected between Sec. 10 & 15, T10 N. R4 E.

4.96 a Sugar 18 m. dist.

40.28 Set g. Sec. post at average dist. from which
a Beech 6 m. dist. bear N 44 W. 54 lks. dist. of
a Poplar 4 " " " S 45 E 27 " "

45.08 a Beech 10 " "

80.57 to Sec. Corner.

North Between Sec. 9 & 10, T10 N. R4 E.

17.24 a W. Oak 12 m. dist.

40.00 Set the g. Sec. post, from which
a W. Oak 3 m. dist. bear S 11 E 16 lks. dist. of
a Ho 4 " " " S 17 W 2 " "

62.09 a Beech 12 " "

Mo N. R. 4 E. 2nd Mer. Indiana

73.44 a stream 25 lbs. wide Course E.
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a Beech 15 in. dia. beam 189 E 12 lbs. dist. 5
 a do 12 " " " 143 W 25 " "
 Land hilly 3rd rate, timber Beech, Oak
 Poplar, under 1st. Hickory, Spruce &c

East On Rand^m between Sec. 3 & 10, T10 N. R4 E.

40.00 Set temporary g. Sec. post
 42.50 a Swamp
 47.00 leave the Swamp
 57.80 a stream 25 lbs. wide Course S. E.
 79.62 intersected the N. S. line 64 lbs. S. of post
 Land level 3rd rate, timber Beech, Hickory
 Oak &c. under 1st. Spruce &c.

Next Corner between Sec. 3 & 10, T10 N. R4 E

13.34 a Beech 9 in. dia.
 39.81 Set g. Sec. post at average dist. from which
 a Beech 12 in. dia. beam 139 E 3 lbs. dist. 5
 a do 10 " " " 125 W 19 " "
 43.10 a Beech 10 " "
 79.62 to Sec. Corner

North Between Sec. 3 & 4, T10 N. R4 E.

14.59 a Beech 14 in. dia.
 40.00 Set the g. Sec. post, from which
 a Sugar 4 in. dia. beam 131 W 17 lbs. dist. 8
 a do 9 " " " 168 E 14 " "
 61.76 a Beech 4 " "
 66.86 a stream 15 lbs. wide Course E.
 82.42 intersected the N. boundary 155 lbs. N. of post
 Set a post Cor. to Sec. 3 & 4, from which
 a Beech 10 in. dia. beam 171 E 22 lbs. dist. 5
 a — 14 " " " 134 W 27 " "
 Land level 2nd rate, timber Oak, beech, Sugar,

10 N. R4 E. 2^d Mer. Indiana

Poplar, undugth. Spice Sassafras &c.

North Between Secs. 32 & 33, 10 N. R4 E.

19.73 a W. Oak 24 in. dia.

40.00 Set the g^t. Sec. post, from which
an Ash 15 in. dia. bray, 75 W 12 Lk. dist. 5
an Oak 6 " " " N 77 W 10 " "

63.25 a Stream 20 Lk. wide Course S. W.

74.42 a Maple 10 in. dia.

80.00 Set a post Cor. to Secs. 28, 29, 32, 33, from which
a Beech 18 in. dia. bray, 12 W 25 Lk. dist. 5
a ——— 12 " " " N 1 W 35 " "
Land hilly 3^d rate, timber Oak, Hickory
Beech, undugth. Hogw. Ironwood &c.

East On Rand^m. betwⁿ Secs. 28 & 33, 10 N. R4 E.

40.00 Set temp^y. g^t. Sec. post

80.85 Intersected the N & S line 120 Lk. S. of post
Land hilly 3^d rate timber Oak, Hickory &
Beech, undugth. Sassafras, Ironw. Hog. &c

West Corrected between Secs. 28 & 33, 10 N. R4 E.

10.62 a Hickory 20 in. dia. in the line
40.42 Set g^t. Sec. post at average dist. from which
an Elm 6 in. dia. bray, 17 E 19 Lk. dist. 5
a Beech 15 " " " N 74 W 19 " "

49.47 a W. Oak 12 " "

80.85 to Section Corner.

North Between Secs. 28 & 29, 10 N. R4 E.

20.67 a B. Oak 5 in. dia.

40.00 Set the g^t. Sec. post, from which
a Beech 9 in. dia. bray, 78 W 30 Lk. dist. 5
a Ho 12 " " " N 62 E 13 " "

59.50 a W. Oak 26 " "

80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which
a Beech 18 in. dia. bray, 45 W 30 Lk. dist. 5

10 N. R. 4 E. 2^d Mer. Indiana

a Beech 10 in. dia. bears N 72 E 19 lks. dist.
 Land Hilly 3^d rate, Beech, Oak, Sugar,
 undergth Dogw^d, Ironw^d, Sassafras.

East On Rand^m betwⁿ Sec^s 21 & 28, 10 N. R. 4 E.

40.00 Set temp^y q^d Sec. post

81. 22 Intersected the N. & S. line 91 lks. south of post
 Land Hilly 3^d rate - timber Beech Oak Hickory
 undergrowth Dog^d fr.

West Corrected between Sec^s 21 & 28, 10 N. R. 4 E.
 9. 47 a Gum 16 in. dia.
 40. 61 Set q^d Sec. post at average dist. from which
 a Beech 13 in. dia. bears S 35 W 7 lks. dist. 4
 a do 20 " " " N 4 W 46 " "

44. 53 a Gum 18 " "

81. 22 to Section Corner

North Between Sec^s 20 & 21, 10 N. R. 4 E.

22. 26 a Gum 20 in. dia.

40. 00 Set the q^d Sec. post from which
 a Dogwood 6 in. dia. bears S 45 E 15 lks. dist. 8
 a Beech 10 " " " S 76 E 18 " "

66. 26 a Sugar 14 " "

80. 00 Set a post Cor. to Sec^s 16, 17, 20 & 21, from which
 an Ironwood 4 in. dia. bears S 45 E 34 lks. dist. 4
 a Beech 20 " " " S 48 W 15 " "
 Land Hilly 3^d rate timber Oak Hickory Beech
 undergrowth Dogwood Sassafras fr. Sept. 15th 1819

East On Brandon between Sec^s 16 & 21, 10 N. R. 4 E.

65. 00 a stream 20 lks. wide Course N. E.

68. 50 a do " " " S. E.

76. 00 a do " " " N. E.

80. 40 Intersected the N. & S. line 41 lks. S. of post
 Land level 3^d rate timber Beech Sugar Oak fr.
 undergrowth Spice fr.

S10 N R4 E 2nd Mer. Indiana

West Corrected between Sec. 16 & 21, S10 N. R4 E.
 4. 08 an Elm 6 in. dia.
 40. 20 Set of Sec. post at average dist. from which
 a Beech 12 in. dia. bears S54^W 17^{ch} dist. &
 a Dog. 4 " " " N23 E 29 " "
 45. 60 a Gum 12 " "
 90. 40 to Section Corner

North Between Sec. 16 & 17, S10 N. R4 E.
 20. 70 a Poplar 18 in. dia.
 40. 00 Set the of Sec. post, from which
 a Poplar 18 in. dia. bears N61 E 14^{ch} dist. &
 a Hickory 20 " " " N81^W 18 " "
 66. 33 a Ironwood 9 " "
 90. 00 Set a post Corner to Sec. 8, 9 & 16 & 17, from which
 a W. Oak 20 in. dia. bears N53 E 20^{ch} dist. &
 a Do 30 " " " S6 E 18 " "
 Sand Hilly 3rd rate timber Oak Hickory poplar
 undergrowth Dog. Hickory &c.

East On Prandon Between Sec. 9 & 16, S10 N. R4 E.
 40. 00 Set temp. of Sec. post
 90. 37 Intersected the N. & S. line at the post-
 Land timber &c. as on the last mile

West Corrected between Sec. 9 & 16, S10 N. R4 E.
 20. 12 a Hickory 5 in. dia.
 40. 18 Set of Sec. post at average dist. from which
 a Beech 15 in. dia. bears N5^W 16^{ch} dist. &
 a Do 16 " " " S53 E 56 " "
 49. 82 a Hickory 20 " "
 90. 37 To Section Corner

North Between Sec. 8 & 9, S10 N. R4 E.
 25. 14 a Hickory 12 in. dia.
 40. 00 Set the of Sec. post, from which

Monk N. E. 2: Mer. Indiana

a Sugar — in dia: bears S 25 E 25 lks. dist. &
 a No 8 " " " N 18 E 13 " "
 55.33 a Stream 10 lks. wide Course East
 72.57 an Oak 24 in dia: in the line
 80.00 Set a post Corner to Sec. 4, 5, 8 & 9, from which
 a Dogwood 6 in. dia: bears N 17 E 12 lks. dist. &
 a Oak 3 " " " N 85 W 4 " "
 Land Hilly timber Oak Hickory Beech undergro:
 W. Oak — Hickory

East On Prandom between Sec. 4 & 9, S 10 N. R 4 E.
 40.00 Set temp. q. Sec. post.
 80.15 Intersected the N. & S. line 25 N. of post
 Land & timber fe. as on the last mile

West Corrected between Sec. 4 & 9, S 10 N. R 4 E.
 2.72 an Ash 36 in. dia: in the line
 40.07 Set q. Sec. post at average dist. from which
 a Beech 10 in. dia: bears S 64 E 19 lks. dist. &
 a Do 10 " " " N 7 W 13 " "
 44.64 a poplar 18 " " in the line
 80.15 to Section Corner Sept. 16th 1819

North Between Sec. 4 & 5, S 10 N. R 4 E.
 17.10 a poplar 36 in dia: in the line
 40.00 Set the q. Sec. post, from which
 a Br. Oak 36 in dia: bears S 59 E 23 lks. dist. &
 a Beech 10 " " " N 83 W 30 " "
 64.81 a W. Oak 20 " " in the line
 84.06 Intersected the N. boundary 57 lks. N. of post.
 Set a post Cor. to Sec. 4 & 5, from which
 a Sugar 4 in dia: bears N 77 W 10 lks. dist. &
 a Do 12 " " " N 63 E 37 " "
 Land Hilly 3^d rate timber Beech Ash Poplar
 fe. undergrowth Spice fe.

S10 N. R4 E. 2. Mer. Indiana

North Between Secs. 31 & 32, S10 N. R4 E.
 40.00 Set the q. Sec. post, from which
 a Br. Oak 12 in. dia. bears S88 E 25 chs. dist. 4
 a W. Oak 4 " " " N68 W 10 " "
 71.64 a W. Oak 20 " " in the line
 80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which
 a Ironwood 3 in. dia. bears S70 E 3 chs. dist. 8
 a Beech 9 " " " S53 W 18 " "
 This mile broken 3^d rate timber Oak Hickory
 &c. undergrowth Sassafras &c.

East On Prandome between Secs. 29 & 32, S10 N. R4 E.
 40.00 Set temp. q. Sec. post
 49.00 Intersected the N. & S. line 45 chs. S. of post.
 This mile Hilley 3^d rate timber Oak Beech &
 Hickory undergrowth Sassafras &c.

West Corrected between Secs. 29 & 32, S10 N. R4 E.
 2.31 a Beech 14 in dia. in the line
 39.50 Set q. Sec. post at average dist. from which
 an Oak 24 in. dia. bears S24 W 5 chs. dist. 4
 a Beech 4 " " " N22 W 13 " "
 79.00 To Section Corner

West Between Secs. 30 & 31, S10 N. R4 E.
 13.90 a Br. Oak 36 in dia. in the line
 40.00 Set the q. Sec. post, from which
 a Dogwood 10 in. dia. bears S11 W 26 chs. dist. 4
 a Do 5 " " " N24 W 29 " "
 46.15 an Oak 36 " " in the line
 72.56 Intersected the W. boundary 116 chs. S. of post
 Set a post Cor. to Secs. 30 & 31, from which
 a Br. Oak 18 in. dia. bears S15 W 23 chs. dist. 4
 a Dogwood 3 " " " N65 E 5 " "
 This mile broken 3^d rate Land timber Oak &c.

S.W. 1/4 Sec. 19, T. 10 N. R. 4 E.

North Between Secs. 29 & 30, T. 10 N. R. 4 E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 30 in. dia. bears S 43 E 66 lks. dist. of
 a B. Oak 4 " " " N 67 W 16 " "
 44.40 a B. Oak 30 " "
 80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, T. 10 N. R. 4 E.
 a P. Oak 20 in. dia. bears N 31 E 20 lks. dist. of
 a W. Oak 9 " " " N 67 W 13 " "
 This mile hilly 3rd rate, timber Oak, of various
 sorts, Sassafras & Hickory, undergth &c

East On Rand^m between Secs. 20 & 29, T. 10 N. R. 4 E.
 40.00 Set temp. q. Sec. post
 78.00 Intersected the E. boundary at post
 This mile Broken 3rd rate, timber Beech, Oak,
 Hickory, undergth Hickory & Sassafras &c.

West Cor. to Secs. 20 & 29, T. 10 N. R. 4 E.
 39.00 Set q. Sec. post at average dist. from which
 a Chest. Oak 11 in. dia. bears S 57 W 17 lks. dist. of
 a Do 18 " " " N 10 E 7 " "
 78.00 to Sec. Corner.

West Between Secs. 19 & 30, T. 10 N. R. 10 E.
 25.40 on Oak 39 in dia.
 30.00 a Brook 12 lks. wide Course S. W.
 40.00 Set the q. Sec. post, from which
 a W. Oak 5 in. dia. bears S 20 W 3 lks. dist. of
 a Do 15 " " " N 28 W 3 " "
 73.50 Intersected the W. boundary 128 S. of post
 Set a post Cor. to Secs. 19 & 30, from which
 a W. Oak 14 in. dia. bears S 25 E 35 lks. dist. of
 a Do 18 " " " N 36 W 24 " "
 This mile Broken 3rd rate timber Oak Hickory &c.
 undergrowth Sassafras &c.

S.W. 1/4 Sec. 2, Mer. Indiana

North Between Sec. 19 & 20, S 10 N. 1/4 E,
 25.00 a Sugar 20 in. dia.
 40.00 Set the q. Sec. post, from which
 a Hickory 6 in. dia. bears S 65 E 6 chs. dist. 4
 a Dogwood 4 " " " S 51 W 5 " "
 66.25 a Beech 18 " "
 80.00 Set a post Cor. To Sec. 17, 18, 19 & 20 from which
 a Hickory 4 in. dia. bears S 69 E 4 chs. dist. 4
 a W. Oak 5 " " " N 76 W 16 " "
 This mile Hilby 3^d rate timber Oak Hickory
 Beech & undergrowth Hickory &c.

East On Random between Sec. 17 & 20, S 10 N. 1/4 E.
 40.00 Set temp'y. q. Sec. post
 79.07 Intersected the N. & S. line 67 chs. S. of post
 This mile broken 3^d rate Land timber Oak
 Beech Hickory

West Corrected between Sec. 17 & 20 S 10 N. 1/4 E.
 7.31 a Beech 20 in. dia.
 39.53 Set q. Sec. post at average dist. from which
 a Beech 9 in. dia. bears S 39 E 14 chs. dist. 4
 a Sugar 14 " " " N 19 W 33 " "
 79.07 to Section Corner

West Between Sec. 18 & 19, S 10 N. 1/4 E.
 5.70 a Poplar 30 in. dia.
 15.50 a Brook 10 chs. wide Course S.
 40.00 Set the q. Sec. post, from which
 a Sugar 14 in. dia. bears N 61 E 15 chs. dist. 4
 a Sassafras 4 " " " S 54 W 5 " "
 49.50 a B. Oak 24 " "
 73.72 Intersected the W. boundary 1.59 chs. S. of post
 Set a post Cor. to Sec. 18 & 19, from which
 an Oak 30 in. dia. bears N 64 W 37 chs. dist. 4
 a Beech 20 " " " N 40 E 7 " "
 This mile Hilby 3^d rate - Timber Oak Beech &c.

T10 N. R4 E. 2nd Mer. Indiana

Hickory & Sassafras undergrowth &c.

<hr/>	
North	Between Secs. 17 & 18, T10 N. R4 E.
40.00	Set the q. Sec. post, from which a Gum 20 in. dia. bears N 31 E 26 cks. dist. & a Hick 7.16 " " " S 76 W 11 " "
49.75	an Oak 27 " "
50.00	Set a post Cor. to Secs. 7, 8, 17 & 18, from which a Sugar 24 in. dia. bears S 17 W 44 cks. dist. & an Ash 20 " " " N 75 E 35 " "
	Land Hilly 3 rd rate timber Beech Oak Hickory undergrowth Hickory &c
<hr/>	
East	On Random between Secs. 8 & 17, T10 N. R4 E.
40.00	Set temp. q. Sec. post
79.00	Intersected the N & S. line at the post. This mile Hilly poor Land—timber Oak Hickory undergrowth Hickory & Sassafras—
<hr/>	
West	Corrected between Secs. 8 & 17, T10 N. R4 E.
39.50	Set q. Sec. post at average dist. from which an Oak 14 in. dia. bears N 25 W 16 cks. dist. & a B. Oak 4 " " " S 43 W 11 " "
79.00	to Section Corner
<hr/>	
West	Between Secs. 7 & 18, T10 N. R4 E.
30.50	a Poplar 20 in. dia.
40.00	Set the q. Sec. post, from which a Poplar 7 in. dia. bears N 50 E 17 cks. dist. & a Beech 30 " " " S 79 E 28 " "
73.07	Intersected the W. boundary 24 cks. E. of post— Set a post. Cor. To Secs. 7 & 18, from which a B. Oak 30 in. dia. bears N 30 W 21 cks. dist. & a Beech— " " " S 48 W 29 " "
	This mile very Hilly 3 rd rate timber Oak & Hickory undergrowth &c.

Plot R4 E. 2nd Mer. Indiana

North Between Sec^s. 7 & 8, S10 N, R4 E.

11.08 a B. Oak 36 in. dia.

40.00 Set the q^r. Sec. post. from which
a Poplar 5 in. dia. bears S 72° 2' E. dist. 4
a Do 4 " " " S 68° 15' " "

54.50 a Poplar 36 " "

80.00 Set a post Corner to Sec^s. 5, 6, 7, 8, from which
a Hickory 4 in. dia. bears N 68° E 20 lks. dist. 4
a Poplar 5 " " " S 45° 11' 14' " "
This mill broken 3rd rate Land Timber. Oak
Poplar & Beech, undergrowth Hick^y. Dog[?] &c.

East On Random between Sec^s. 5 & 8, S10 N, R4 E.

48.00 a Brook 8 lks. wide Course S. E.

40.00 Set temp^y. q^r. Sec. post

78.33 Intersected the N. & S. line 64 lks. S of post
Land Hilly 3rd rate timber Oak, Hick^y & Beech
undergrowth Brush Hick^y. & Sassafras, &c.

West Corrected between Sec^s. 5 & 8, S10 N, R4 E.

3.00 an Oak 15 in. dia.

39.16 Set q^r. Sec. post at average dist. from which
a Hickory 4 in. dia. bears S 34° 16' E. dist. 4
a Beech 20 " " " N 34° 18' " "

76.33 To Section Corner

West Between Sec^s. 6 & 7, S10 N, R4 E.

22.50 a Hickory 30 in. dia.

40.00 Set the q^r. Sec. post, from which
an Ash 20 in. dia. bears N 25° E 43 lks. dist. 4
a Beech 9 " " " S 14° 19' " "

42.65 a Poplar 48 " "

72.83 Intersected the West boundary 3.50 lks. S of post
Set a post Cor. to Sec^s. 6 & 7, from which
a Beech 14 in. dia. bears N 29° 11' 2 lks. dist. 4
a Poplar 6 " " " S 72° E 21 " "

T10 N - R4 E, 2^d. Mer. Indiana

This mile some Hilly - timber Oak Hickory
Poplar &c. Spice undergrowth &c.

North Between Sec^s. 5 & 6, T10 N. R4 E,
 8.80 a B. Oak 30 in. dia.
 28.00 at Brook & ch^s. wide Course S. E.,
 40.00 Set the q^r. Sec. post, from which
 a Poplar 8 in. dia. bears N 34 1/2 W 5 lks. dist. &
 a Sassafras 6 " " " S 70 1/2 W 5 " "
 68.90 a Sugar 18 " "
 85.42 Intersected the North boundary 2.58 E. of post
 Set a post Cor. to Sec^s. 5 & 6, from which
 a Beech 4 in. dia. bears S 3 E 7 lks. dist. &
 a Sugar 9 " " " N 10 E 22 " "
 This mile Hilly 3^d. rate timber Beech Oak &c.
 Surveyed by Abraham Lee, L. S.

Comp.

I certify that the foregoing transcript of field notes of
 Township N. 10 N. Range N. 4 E, 2^d. Mer. Indiana, has
 been compared with the original notes in this Office &
 found to be Correct.

Surveyor General's Office
 Cincinnati, July 28th 1841

C. B. Raine

Sur. Genl.